


ITEM	QTY -041	P/N	DESCRIPTION
	X	D5336-041	BASKET LID ASSY
1	2	D2581	MOUNTING BRACKET
2	3	D4016-3	HINGE HALF, LID
3	1	D5334-1	LID MESH
4	1	D5335-1	DATA PLATE
5	1	D5336-101	TUBULAR ASSEMBLY, LID



D5336-041 BASKET LID ASSY 
(MESH SHOWN LOCALLY FOR CLARITY)


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT BLACK SANDTEX (4.3.5.7) PER DART QSI 005 4.3
APPLY BLACK ANTI-SKID PAINT TO OUTSIDE SURFACE OF MESH PER DART QSI 005 4.4
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.6
- 7) WEIGHT: 12.0 lbs
- 8) MASK HOLES PRIOR TO FINISHING
- 9) TOLERANCE FOR XX.XX DIMENSIONS IS ± 0.06 UNLESS OTHERWISE NOTED FOR D5336-041
- 10) WELD PER DART QSI 004

RELEASED
2017-03-22
EEN 17-535

APPROVED

B	REVISE -101 (ZN B4-7, D3-7)	RF	17.02.09
A	NEW ISSUE	RF	15.08.10
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	VS	DRAWING NO.	REV. B
MFG. APPR.	DD	D5336	SHEET 1 OF 8
APPROVED	HS	TITLE	SCALE
DE APPR.	DSC	R66/R44 BASKET LID ASSY	NTS
DATE	17.02.09	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D5336-041 BASKET LID ASSY
(MESH SHOWN LOCALLY FOR CLARITY)

RELEASED
2017-03-22

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	VS	DRAWING NO.	REV. B
MFG. APPR.	DD	D5336	SHEET 2 OF 8
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	R66/R44 BASKET LID ASSY	NTS
DATE	17.02.09	COPYRIGHT © 2015 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

8

7

6

5

4

3

2





1

D

C

B

A



RELEASED
2017-03-22

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	VS	DRAWING NO.	REV. B
MFG. APPR.	DD	D5336	SHEET 3 OF 8
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	R66/R44 BASKET LID ASSY	NTS
DATE	17.02.09	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D

C

B

A

ITEM	QTY -043	P/N	DESCRIPTION
	X	D5336-043	BASKET LID ASSY, LH
1	2	D4016-3	HINGE HALF, LID
2	1	D5333-1	LOCKING BRACKET
3	1	D5334-3	LID MESH
4	1	D5336-103	TUBULAR ASSEMBLY, LID



D5336-043 BASKET LID ASSY, LH
(MESH SHOWN LOCALLY FOR CLARITY)



- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: POWDER COAT BLACK SANDTEX (4.3.5.7) PER DART QSI 005 4.3
APPLY BLACK ANTI-SKID PAINT TO OUTSIDE SURFACE OF MESH PER DART QSI 005 4.4
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.6
 - 7) WEIGHT: 6.4 lbs
 - 8) MASK HOLES PRIOR TO FINISHING
 - 9) TOLERANCE FOR XX.XX DIMENSIONS IS ± 0.06 UNLESS OTHERWISE NOTED FOR D5336-043
 - 10) WELD PER DART QSI 004

RELEASED
2017-03-22

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	VS	DRAWING NO. D5336	REV. B
MFG. APPR.	DD	SHEET 4 OF 8	
APPROVED	HS	TITLE R66/R44 BASKET LID ASSY	SCALE NTS
DE APPR.	DS	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	17.02.09		

ITEM	QTY -044	P/N	DESCRIPTION
	X	D5336-044	BASKET LID ASSY, RH
1	2	D4016-3	HINGE HALF, LID
2	1	D5333-1	LOCKING BRACKET
3	1	D5334-3	LID MESH
4	1	D5336-103	TUBULAR ASSEMBLY, LID




D5336-044 BASKET LID ASSY, RH
(MESH SHOWN LOCALLY FOR CLARITY)

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: POWDER COAT BLACK SANDTEX (4.3.5.7) PER DART QSI 005 4.3
APPLY BLACK ANTI-SKID PAINT TO OUTSIDE SURFACE OF MESH PER DART QSI 005 4.4
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.6
 - 7) WEIGHT: 6.4 lbs
 - 8) MASK HOLES PRIOR TO FINISHING
 - 9) TOLERANCE FOR XX.XX DIMENSIONS IS ± 0.06 UNLESS OTHERWISE NOTED FOR D5336-044
 - 10) WELD PER DART QSI 004


RELEASED
2017 -03- 22

APPROVED


DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	VS	DRAWING NO.	REV. B
MFG. APPR.	DD	D5336	SHEET 5 OF 8
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	R66/R44 BASKET LID ASSY	NTS
DATE	17.02.09	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



DETAIL G
(-043 SHOWN, -044 OPPOSITE)
C1-4
B1-5



DETAIL E
C2-4
C2-5




DETAIL H
(-043 SHOWN, -044 OPPOSITE)
B1-4
C1-5


RELEASED
2017-03-22

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	VS	DRAWING NO.	REV. B
MFG. APPR.	DD	D5336	SHEET 6 OF 8
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	R66/R44 BASKET LID ASSY	NTS
DATE	17.02.09	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



ITEM	QTY -101	P/N	DESCRIPTION
	X	D5336-101	TUBULAR ASSEMBLY, LID
1	2	D5332-041	RIB ASSEMBLY
2	2	D5332-1	RIB
3	3	D5332-13	RIB
4	2	D5332-15	RIB
5	2	D5332-19	RIB



D5336-101 TUBULAR ASSEMBLY, LID



- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 6.78 lbs
 - 8) TOLERANCE FOR XX.XX DIMENSIONS IS ± 0.100 UNLESS OTHERWISE NOTED FOR D5336-101
 - 9) WELD PER DART QSI 004

RELEASED
2017-03-22

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	VS	DRAWING NO.	REV. B
MFG. APPR.	DD	D5336	SHEET 7 OF 8
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	R66/R44 BASKET LID ASSY	NTS
DATE	17.02.09	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

ITEM	QTY -103	P/N	DESCRIPTION
	X	D5336-103	TUBULAR ASSEMBLY, LID
1	1	D5332-043	RIB ASSEMBLY
2	1	D5332-7	RIB
3	1	D5332-9	RIB
4	1	D5332-11	RIB
5	1	D5332-15	RIB
6	2	D5332-17	RIB



D5336-103 TUBULAR ASSEMBLY, LID

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: 3.58 lbs
 - 8) TOLERANCE FOR XX.XX DIMENSIONS IS ± 0.100 UNLESS OTHERWISE NOTED FOR D5336-103
 - 9) WELD PER DART QSI 004

RELEASED
2017-03-22

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	VS	DRAWING NO.	REV. B
MFG. APPR.	DD	D5336	SHEET 8 OF 8
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	R66/R44 BASKET LID ASSY	NTS
DATE	17.02.09	COPYRIGHT © 2015 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	